

Speedlink HR trigger snap shackle - Universal eye - Length: 87 mm

Part #2652





Description

Make the right choice!

Speedlink is the new trigger snap shackle dedicated to spinnaker operations on racing boats and offering an excellent weight / performance ratio.

Ultra lightweight: developed by using finite element analysis software, Speedlink has an optimised design thanks to its shape, cut-outs and ribs. Its make it extremely design and gives its one of the best strength/weight ratios on the market. Easy opening: opening under load, whether manually or using release fid, is easy and effortless thanks to the generous passage diameter and its optimised slopes.

No accidental opening: the special shape of the latch reduces inertia and avoids unintentional opening, especially under impact.

Sturdy: Speedlink is forged in HR stainless steel and can bear outstanding working and breaking loads for a minimum weight.

Modern design: its ultra-technical lines avoid excessive rope wear and prevent adjacent lines from jamming.

Applications

Spinnaker operations: sheets, halyards, peeling

Technical information

	Materials	HR 17.4 PH stainless steel grade
	Length (mm)	87
	Working load (kg)	1440
	Breaking load (kg)	3600
	Weight (g)	97
	A (mm)	17
	B (mm)	15.5

Caption

Working load (WL) : for nautical applications

Working Load Limit (WLL): for industrial applications only. The safety factor is 5 times the breaking load. WLL = Breaking load / 5

Wichard strives to ensure, to the best of its ability, the accuracy and the update of the information disseminated on this document, and reserves the right to correct at any time and without notice the content, as well as to evolve its products.

In the case of an industrial application, please contact our sales and technical department to validate the use of these products. The request for certificates can be made directly with the sales department when ordering the products.

Non-contractual pictures.