

A316 s.steel series

CLASSIC LINE

This stainless steel series, with a traditional design, is conceived especially for classic boats. The line includes 6 different sizes with diameters from 65 to 180 mm and Safe Working Load up to 9000 kg.

Perfectly polished A316 stainless steel cheekplates and accessories, fully rounded corners for greater manageability, nuts and bolts replaced by pins and recessed screws to eliminate any protruding parts.

Each size is available in numerous versions as described in the following pages.



CAM CLEAT



All models can be supplied with cam cleat. Just add **C** to the model code when ordering.

SHEAVES



Resin or aluminium sheaves in larger models are easy to dismantle and work on a main composite fibre bearing and two side ball bearings (self-captive).



Robbe & Berking, Sphinx 12m SI

Blocks 65

65 mm SHEAVE for 12 mm LINE – SAFE WORKING LOAD = 800 kg



MOD. S0601

SINGLE BLOCK with swivel head
WEIGHT – 0.29 kg
SWL – 800 kg • SHACKLE* – 6 mm



MOD. S0603

DOUBLE BLOCK with fixed head
WEIGHT – 0.51 kg
SWL – 1200 kg • SHACKLE* – 8 mm



MOD. S0605

TRIPLE BLOCK with fixed head
WEIGHT – 0.70 kg
SWL – 1200 kg • SHACKLE* – 8 mm



MOD. S0611

DECK BLOCK
WEIGHT – 0.30 kg • SWL – 800 kg
SCREWS – 2xØ8 mm (included)



MOD. S0612

DOUBLE DECK BLOCK
WEIGHT – 0.46 kg • SWL – 800 kg
SCREWS – 2xØ8 mm (included)



→ **MOD. 7106** (page 203)

← **MOD. S0613**

BLOCK ON U-BOLT
WEIGHT – 0.36 kg • SWL – 800 kg
SCREWS – 2xØ6 mm (included)



→ **MOD. 7206** (page 200)

← **MOD. S0614**

BLOCK ON PAD-EYE
WEIGHT – 0.38 kg • SWL – 800 kg
SCREWS – 2xØ6 mm (included)



→ **MOD. 7306** (page 201)

← **MOD. S0615**

BLOCK ON SCREWED PAD-EYE
WEIGHT – 0.45 kg • SWL – 800 kg
SCREWS – 2xØ6 mm (included)



MOD. S0616

STAND-UP BLOCK
WEIGHT – 0.37 kg • SWL – 800 kg
SCREWS – 1xØ12 mm (included)



MOD. S0602

SINGLE WITH BECKET and swivel head
WEIGHT – 0.32 kg
SWL – 800 kg • SHACKLE* – 6 mm



MOD. S0604

DOUBLE WITH BECKET and fixed head
WEIGHT – 0.54 kg
SWL – 1200 kg • SHACKLE* – 8 mm



MOD. S0606

TRIPLE WITH BECKET and fixed head
WEIGHT – 0.73 kg
SWL – 1200 kg • SHACKLE* – 8 mm



MOD. S0609

WEBBING BLOCK
WEIGHT – 0.25 kg
SWL – 800 kg • For line connection



CAM CLEAT

WEIGHT +0.18 g
MAX LOAD – 160 kg

All models are available with cam-cleat, add **C** to the model code.



Full scale pic →

* Shackle **not** included

Blocks 75

75 mm SHEAVE for 14 mm LINE – SAFE WORKING LOAD = 1500 kg



MOD. S0701

SINGLE BLOCK with swivel head
WEIGHT – 0.39 kg
SWL – 1500 kg • SHACKLE* – 8 mm



MOD. S0702

SINGLE WITH BECKET and swivel head
WEIGHT – 0.46 kg
SWL – 1500 kg • SHACKLE* – 8 mm



MOD. S0703

DOUBLE BLOCK with fixed head
WEIGHT – 0.68 kg
SWL – 2300 kg • SHACKLE* – 10 mm



MOD. S0704

DOUBLE WITH BECKET with fixed head
WEIGHT – 0.75 kg
SWL – 2300 kg • SHACKLE* – 10 mm



MOD. S0705

TRIPLE BLOCK with fixed head
WEIGHT – 0.91 kg
SWL – 2300 kg • SHACKLE* – 10 mm



MOD. S0706

TRIPLE WITH BECKET with fixed head
WEIGHT – 0.98 kg
SWL – 2300 kg • SHACKLE* – 10 mm



→ **MOD. 7208** (page 200)

← **MOD. S0714**



BLOCK ON PAD-EYE
WEIGHT – 0.65 kg • **SWL – 1500 kg**
SCREWS – 4×Ø6 mm (included)



→ **MOD. 7108** (page 201)

← **MOD. S0715**



BLOCK ON SCREWED PAD-EYE
WEIGHT – 0.95 kg • **SWL – 1500 kg**
SCREWS – 4×Ø6 mm (included)



MOD. S0711

DECK BLOCK
WEIGHT – 0.35 kg • **SWL – 1500 kg**
SCREWS – 2×Ø6 + 1×Ø10 mm (included)



→ **MOD. 7108** (page 203)

← **MOD. S0713**



BLOCK ON U-BOLT
WEIGHT – 0.55 kg • **SWL – 1500 kg**
SCREWS – 2×Ø8 mm (included)



MOD. S0712

DOUBLE DECK BLOCK
WEIGHT – 0.62 kg • **SWL – 1500 kg**
SCREWS – 2×Ø6 + 1×Ø10 mm (included)



CAM CLEAT
WEIGHT +0.18 g
MAX LOAD – 160 kg

All models are available with cam-cleat, add **C** to the model code.



MOD. S0731

CLASSIC DECK BLOCK
WEIGHT – 0.86 kg • **SWL – 1500 kg**
SCREWS – 4×Ø8 mm (included)



MOD. S0732

CLASSIC DOUBLE DECK BLOCK
WEIGHT – 1.32 kg • **SWL – 1500 kg**
SCREWS – 4×Ø8 mm (included)



Full scale pic →

* Shackle **not** included



RUNNER'S EYEBOLT

Deck blocks are available with runner's eyebolt, add **V** to the model code.

Blocks 90

90 mm SHEAVE for 16 mm LINE – SAFE WORKING LOAD = 2500 kg



MOD. S0901

SINGLE BLOCK with swivel head
WEIGHT – 0.73 kg
SWL – 2500 kg • SHACKLE* – 10 mm



MOD. S0902

SINGLE WITH BECKET and swivel head
WEIGHT – 0.85 kg
SWL – 2500 kg • SHACKLE* – 10 mm



MOD. S0903

DOUBLE BLOCK with fixed head
WEIGHT – 1.13 kg
SWL – 3300 kg • SHACKLE* – 12 mm



MOD. S0904

DOUBLE WITH BECKET with fixed head
WEIGHT – 1.25 kg
SWL – 3300 kg • SHACKLE* – 12 mm



MOD. S0905

TRIPLE BLOCK with fixed head
WEIGHT – 1.70 kg
SWL – 3300 kg • SHACKLE* – 12 mm



MOD. S0906

TRIPLE WITH BECKET with fixed head
WEIGHT – 1.83 kg
SWL – 3300 kg • SHACKLE* – 12 mm



→ **MOD. 7210** (page 200)

← **MOD. S0914**



BLOCK ON PAD-EYE
WEIGHT – 1.05 kg • SWL – 2500 kg
SCREWS – 4×Ø8 mm (included)



→ **MOD. 7310** (page 201)

← **MOD. S0915**



BLOCK ON SCREWED PAD-EYE
WEIGHT – 1.33 kg • SWL – 2500 kg
SCREWS – 4×Ø8 mm (included)



MOD. S0911

DECK BLOCK
WEIGHT – 0.70 kg • SWL – 2500 kg
SCREWS – 2×Ø8 + 1×Ø10 mm (included)



MOD. S0912

DOUBLE DECK BLOCK
WEIGHT – 1.18 kg • SWL – 2500 kg
SCREWS – 2×Ø8 + 1×Ø10 mm (included)



MOD. S0931

CLASSIC DECK BLOCK
WEIGHT – 1.40 kg • SWL – 2500 kg
SCREWS – 4×Ø8 mm (included)



MOD. S0932

CLASSIC DOUBLE DECK BLOCK
WEIGHT – 2.18 kg • SWL – 2500 kg
SCREWS – 4×Ø8 mm (included)



RUNNER'S EYEBOLT

Deck blocks are available with runner's eyebolt, add **V** to the model code.



Full scale pic →

* Shackle **not** included

Blocks 120

120 mm SHEAVE for 18 mm LINE – SAFE WORKING LOAD = 4500 kg



MOD. S1201

SINGLE BLOCK with swivel head
WEIGHT – 1.28 kg
SWL – 4500 kg • HR SHACKLE* – 12 mm



MOD. S1203

DOUBLE BLOCK with fixed head
WEIGHT – 1.95 kg
SWL – 6000 kg • HR SHACKLE* – 14 mm



→ **MOD. 7214** (page 200)

← **MOD. S1214**



BLOCK ON PAD-EYE
WEIGHT – 2.28 kg • SWL – 4500 kg
SCREWS – 4×Ø10 mm (included)



→ **MOD. 7314** (page 201)

← **MOD. S1215**



BLOCK ON SCREWED PAD-EYE
WEIGHT – 2.58 kg • SWL – 4500 kg
SCREWS – 4×Ø10 mm (included)



MOD. S1211

DECK BLOCK
WEIGHT – 1.13 kg • SWL – 4500 kg
SCREWS – 2×Ø10 + 1×Ø12 mm (included)



MOD. S1212

DOUBLE DECK BLOCK
WEIGHT – 1.74 kg • SWL – 4500 kg
SCREWS – 2×Ø10 + 1×Ø12 mm (included)



MOD. S1231

CLASSIC DECK BLOCK
WEIGHT – 2.15 kg • SWL – 4500 kg
SCREWS – 4×Ø10 mm (included)



MOD. S1232

CLASSIC DOUBLE DECK BLOCK
WEIGHT – 3.70 kg • SWL – 4500 kg
SCREWS – 4×Ø10 mm (included)



RUNNER'S EYEBOLT

Deck blocks are available with runner's eyebolt, add **V** to the model code.



MOD. S1202

SINGLE WITH BECKET and swivel head
WEIGHT – 1.46 kg
SWL – 4500 kg • HR SHACKLE* – 12 mm



MOD. S1204

DOUBLE WITH BECKET with fixed head
WEIGHT – 2.13 kg
SWL – 6000 kg • HR SHACKLE* – 14 mm



Full scale pic →

* Shackle **not** included

Blocks 150

150 mm SHEAVE for 20 mm LINE – SAFE WORKING LOAD = 6500 kg



MOD. S1501

SINGLE BLOCK with swivel head
WEIGHT – 2.74 kg
SWL – 6500 kg • HR SHACKLE* – 14 mm



MOD. S1502

SINGLE WITH BECKET and swivel head
WEIGHT – 3.04 kg
SWL – 6500 kg • HR SHACKLE* – 14 mm



→ **MOD. 7216** (page 200)

← **MOD. S1514**



BLOCK ON PAD-EYE
WEIGHT – 4.71 kg • SWL – 6500 kg
SCREWS – 6xØ10 mm (included)



→ **MOD. 7316** (page 201)

← **MOD. S1515**



BLOCK ON SCREWED PAD-EYE
WEIGHT – 6.24 kg • SWL – 6500 kg
SCREWS – 6xØ10 mm (included)



MOD. S1511

DECK BLOCK
WEIGHT – 2.13 kg • SWL – 6500 kg
SCREWS – 2xØ12 + 1xØ14 mm (included)



MOD. S1512

DOUBLE DECK BLOCK
WEIGHT – 3.50 kg • SWL – 6500 kg
SCREWS – 2xØ12 + 1xØ14 mm (included)



MOD. S1531

CLASSIC DECK BLOCK
WEIGHT – 4.57 kg • SWL – 6500 kg
SCREWS – 4xØ12 mm (included)



MOD. S1532

CLASSIC DOUBLE DECK BLOCK
WEIGHT – 7.91 kg • SWL – 6500 kg
SCREWS – 4xØ12 mm (included)



RUNNER'S EYEBOLT

Deck blocks are available with runner's eyebolt, add **V** to the model code.



Full scale pic →

* Shackle **not** included

antal

Blocks 180

180 mm SHEAVE for 24 mm LINE – SAFE WORKING LOAD = 9000 kg



MOD. S1801

SINGLE BLOCK with swivel head
WEIGHT – 4.11 kg
SWL – 9000 kg • HR SHACKLE* – 16 mm



MOD. S1802

SINGLE WITH BECKET and swivel head
WEIGHT – 4.61 kg
SWL – 9000 kg • HR SHACKLE* – 16 mm



→ MOD. 7220 (page 200)

← MOD. S1814



BLOCK ON PAD-EYE
WEIGHT – 7.57 kg • SWL – 9000 kg
SCREWS – 6×Ø10 mm (included)



→ MOD. 7321 (page 201)

← MOD. S1815



BLOCK ON SCREWED PAD-EYE
WEIGHT – 9.51 kg • SWL – 9000 kg
SCREWS – 6×Ø10 mm (included)



MOD. S1811

DECK BLOCK
WEIGHT – 3.31 kg • SWL – 9000 kg
SCREWS – 2×Ø14 + 1×Ø16 mm (included)



MOD. S1812

DOUBLE DECK BLOCK
WEIGHT – 5.26 kg • SWL – 9000 kg
SCREWS – 2×Ø14 + 1×Ø16 mm (included)



MOD. S1831

CLASSIC DECK BLOCK
WEIGHT – 6.86 kg • SWL – 9000 kg
SCREWS – 4×Ø14 mm (included)



MOD. S1832

CLASSIC DOUBLE DECK BLOCK
WEIGHT – 11.8 kg • SWL – 9000 kg
SCREWS – 4×Ø14 mm (included)



RUNNER'S EYEBOLT

Deck blocks are available with runner's eyebolt, add **V** to the model code.




Full scale pic →

* Shackle **not** included

Halyard blocks

HALYARD BLOCKS

This solution, designed for halyards at the base of the mast, keeps the line as close to the deck as possible. A-316 s.steel base. All these models are fitted with a “self-captive” double side ball bearings. Mounting screws **not included**.



MOD. 815.652

MOD. 815.075

MOD. 815.090

MODEL	Ø LINE mm	D mm	H mm	SWL kg	WEIGHT kg	BOLTS N x Ø mm
815.452	10	45	14	450	0.08	2 x Ø5
815.552	12	55	16	600	0.12	2 x Ø6
815.652	12	65	18	800	0.17	2 x Ø8
815.075	14	75	22	1500	0.26	2 x Ø8
815.090	16	90	24	2500	0.39	2 x Ø10
815.120	18	120	32	4500	1.20	4 x Ø10
815.150	20	150	41	6500	3.30	4 x Ø12
815.180	24	180	51	9000	4.70	4 x Ø16



AISI 316 CUSTOM PRODUCTS

Custom s.steel products are available on request.

MAXI BLOCK Ø – 300 mm
WORKING LOAD – 30.000 kg
WEIGHT – 48,50 kg

Custom made for Perini Navi.



Perini Navi, State of Grace


Hollow Pin deck-blocks

HOLLOW PIN DECK BLOCK 75, 90, 120 mm


The sheave rotates on a hollow pin with the line passing through the pin's centre. This type of arrangement reduces the height of the line off the deck, and the side loads on the block.

The line position and its direction to the winch does not change, even when the sheave is articulated off-centre. Body completely made in polished s.steel. Sheave on Composite Fibre bearing and two side ball bearing.

Mounting screws, nuts and washers are **included**.



MODEL	Ø LINE mm	D mm	H mm	L mm	B mm	SWL kg	WEIGHT* kg	BOLTS N x Ø mm
816.075	12	75	20	132	60	1500	0.62	4 x Ø8
816.090	14	90	24	157	66	2500	1.15	4 x Ø10
816.120	18	120	32	194.7	80	4500	1.95	4 x Ø12



HOLLOW PIN DECK BLOCK 150, 180 mm



The larger models with 150 and 180 mm sheaves are equipped with a double base, where each base is fixed with 4 screws.

Mounting screws, nuts and washers are **included**.



MODEL	Ø LINE mm	D mm	H mm	L mm	B mm	SWL kg	WEIGHT* kg	BOLTS N x Ø mm
816.150	20	150	30	315	94	6500	5.70	8 x Ø10
816.180	22	180	33	373	108	9000	8.70	8 x Ø12

