



**Note:**  
The PE Plastic base is intended for fitting on site and can be either drilled for mounting screws from above. 6mm screws with nuts and washers are recommended for secure mounting.



Rev1 09/05/2019: Delete the sheet HA and add a new Sheet JA PRO Series.

**301-008 2nm starboard sidelight, HM, on a 400-038 PE std base**

DRAWING NO.: <b>301-008GA</b>	REV. NO.: <b>1</b>	SIZE: <b>A3</b>	DRAWN BY: <b>Sergio</b>
SCALE: <b>1:1</b>	TOLERANCES: <b>DS/ISO 2768-f</b>	REVIEWED BY: <b>PHC</b>	CREATION DATE: <b>24-04-2018</b>
MATERIAL DESCRIPTION: <b>EN 6082, Acrylic, PE</b>			







(20µ) Silver anodized according to EN ISO 7599  
(50µ) Black anodized according to MIL-A 8625F  
This Drawing, and the information within, is the property of Lopolight ApS and may not be used in any form without express permission there from. Lopolight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk.



Lopolight ApS  
Bakkegaardsvej 513  
DK-3050, Humlebaek  
Denmark  
www.lopolight.com

Tel:(+45) 32 48 50 30 Fax:(+45) 32 48 50 32  
info@lopolight.com





Rev1 09/05/2019: Delete the sheet HA and add a new Sheet JA PRO Series.

**301-008 2nm starboard sidelight, HM, on a 400-034 Promount base, Cable Side**

DRAWING NO.: <b>301-008AA</b>	REV. NO.: <b>1</b>	SIZE: <b>A3</b>	DRAWN BY: <b>Sergio</b>
----------------------------------	-----------------------	--------------------	----------------------------

SCALE: <b>1:1</b>	TOLERANCES: <b>DS/ISO 2768-f</b>	REVIEWED BY: <b>PHC</b>	CREATION DATE: <b>24-04-2018</b>
----------------------	-------------------------------------	----------------------------	-------------------------------------

MATERIAL DESCRIPTION:  
**EN 6082, Acrylic** (20µ) Silver anodized according to EN ISO 7599 (50µ) Black anodized according to MIL-A 8625F


This Drawing, and the information within, is the property of Lopolight ApS and may not be used in any form without express permission there from. Lopolight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk.



Lopolight ApS  
Bakkegaardsvej 513  
DK-3050, Humlebaek  
Denmark  
www.lopolight.com

Tel:(+45) 32 48 50 30 Fax:(+45) 32 48 50 32  
info@lopolight.com






Rev1 09/05/2019: Delete the sheet HA and add a new Sheet JA PRO Series.

301-008 2nm starboard sidelight, HM, on a 400-034 Promount base, Cable Down

DRAWING NO.: 301-008BA	REV. NO.: 1	SIZE: A3	DRAWN BY: Sergio
SCALE: 1:1	TOLERANCES: DS/ISO 2768-f	REVIEWED BY: PHC	CREATION DATE: 24-04-2018
MATERIAL DESCRIPTION: EN 6082, Acrylic			

(20µ) Silver anodized according to EN ISO 7599  
(50µ) Black anodized according to MIL-A 8625F  
This Drawing, and the information within, is the property of Lopolight ApS and may not be used in any form without express permission there from. Lopolight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk.

**LOPOLIGHT**  
 Lopolight ApS  
 Bakkegaardsvej 513  
 DK-3050, Humlebaek  
 Denmark  
 www.lopolight.com  
 Tel:(+45) 32 48 50 30 Fax:(+45) 32 48 50 32  
 info@lopolight.com



Rev1 09/05/2019: Delete the sheet HA and add a new Sheet JA PRO Series.

**301-008 2nm starboard sidelight, HM, on a 400-034 Promount base and 400-404 PE base plate, Cable Side**

DRAWING NO.: <b>301-008CA</b>	REV. NO.: <b>1</b>	SIZE: <b>A3</b>	DRAWN BY: <b>Sergio</b>
SCALE: <b>1:1</b>	TOLERANCES: <b>DS/ISO 2768-f</b>	REVIEWED BY: <b>PHC</b>	CREATION DATE: <b>24-04-2018</b>

MATERIAL DESCRIPTION:  
**EN 6082, Acrylic, PE** (20µ) Silver anodized according to EN ISO 7599 (50µ) Black anodized according to MIL-A 8625F

This Drawing, and the information within, is the property of Lopolight ApS and may not be used in any form without express permission there from. Lopolight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk.









Lopolight ApS  
Bakkegaardsvej 513  
DK-3050, Humlebaek  
Denmark

Tel:(+45) 32 48 50 30 Fax:(+45) 32 48 50 32  
info@lopolight.com



A B C D E F G H I J

1  
2  
3  
4  
5  
6  
7  
8



Rev1 09/05/2019: Delete the sheet HA and add a new Sheet JA PRO Series.

**301-008 2nm starboard sidelight, HM, on a 400-034 Promount base and 400-404 PE base plate, Cable Down**

DRAWING NO.: <b>301-008DA</b>	REV. NO.: <b>1</b>	SIZE: <b>A3</b>	DRAWN BY: <b>Sergio</b>
----------------------------------	-----------------------	--------------------	----------------------------

SCALE: <b>1:1</b>	TOLERANCES: <b>DS/ISO 2768-f</b>	REVIEWED BY: <b>PHC</b>	CREATION DATE: <b>24-04-2018</b>
----------------------	-------------------------------------	----------------------------	-------------------------------------

MATERIAL DESCRIPTION:  
**EN 6082, Acrylic, PE** (20µ) Silver anodized according to EN ISO 7599 (50µ) Black anodized according to MIL-A 8625F

This Drawing, and the information within, is the property of Lopolight ApS and may not be used in any form without express permission there from. Lopolight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk.






Lopolight ApS  
Bakkegaardsvej 513  
DK-3050, Humlebaek  
Denmark  
www.lopolight.com

Tel:(+45) 32 48 50 30 Fax:(+45) 32 48 50 32  
info@lopolight.com



A B C D E F G H I J



Rev1 09/05/2019: Delete the sheet HA and add a new Sheet JA PRO Series.

**301-008 2nm starboard sidelight, HM, on a 400-035 Promount base, Cable Down**

DRAWING NO.:	REV. NO.:	SIZE:	DRAWN BY:
301-008EA	1	A3	Sergio
SCALE:	TOLERANCES:	REVIEWED BY:	CREATION DATE:
1:1	DS/ISO 2768-f	PHC	24-04-2018

MATERIAL DESCRIPTION: EN 6082, Acrylic (20µ) Silver anodized according to EN ISO 7599 (50µ) Black anodized according to MIL-A 8625F


This Drawing, and the information within, is the property of Lopolight ApS and may not be used in any form without express permission there from. Lopolight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk.



Lopolight ApS  
 Bakkegaardsvej 513  
 DK-3050, Humlebaek  
 Denmark  
[www.lopolight.com](http://www.lopolight.com)

Tel:(+45) 32 48 50 30 Fax:(+45) 32 48 50 32  
 info@lopolight.com





Rev1 09/05/2019: Delete the sheet HA and add a new Sheet JA PRO Series.

**301-008 2nm starboard sidelight, HM, on a 400-035 Promount base and 400-404 PE base plate, Cable Down**

DRAWING NO.:	REV. NO.:	SIZE:	DRAWN BY:
301-008FA	1	A3	Sergio
SCALE:	TOLERANCES:	REVIEWED BY:	CREATION DATE:
1:1	DS/ISO 2768-f	PHC	24-04-2018

MATERIAL DESCRIPTION: **EN 6082, Acrylic, PE** (20µ) Silver anodized according to EN ISO 7599 (50µ) Black anodized according to MIL-A 8625F

This Drawing, and the information within, is the property of Lopolight ApS and may not be used in any form without express permission there from. Lopolight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk.



Lopolight ApS  
 Bakkegaardsvej 513  
 DK-3050, Humlebaek  
 Denmark







Tel:(+45) 32 48 50 30 Fax:(+45) 32 48 50 32  
 info@lopolight.com

www.lopolight.com



A B C D E F G H I J

1 2 3 4 5 6 7 8



Rev1 09/05/2019: Delete the sheet HA and add a new Sheet JA PRO Series.

**301-008 2nm starboard sidelight, HM, on a 400-036 Ultra Low profile base**

DRAWING NO.: <b>301-008IA</b>	REV. NO.: <b>1</b>	SIZE: <b>A3</b>	DRAWN BY: <b>Sergio</b>
SCALE: <b>1:1</b>	TOLERANCES: <b>DS/ISO 2768-f</b>	REVIEWED BY: <b>PHC</b>	CREATION DATE: <b>24-04-2018</b>
MATERIAL DESCRIPTION: <b>EN 6082, Acrylic</b>			

(20µ) Silver anodized according to EN ISO 7599  
(50µ) Black anodized according to MIL-A 8625F  
This Drawing, and the information within, is the property of Lopolight ApS and may not be used in any form without express permission there from. Lopolight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk.




**Lopolight ApS**  
Bakkegaardsvej 513  
DK-3050, Humlebaek  
Denmark  
www.lopolight.com

Tel:(+45) 32 48 50 30 Fax:(+45) 32 48 50 32  
info@lopolight.com



A B C D E F G H I J

8



Mounting hole  
Ø6,1 THRU

Center Line

Green 112,5°

CL

Rev1 09/05/2019: Delete the sheet HA and add a new Sheet JA PRO Series.

**301-008 2nm starboard sidelight, HM, on a 400-034 Promount base PRO Series version and 400-404 PE base plate, Cable Side**

DRAWING NO.: <b>301-008JA</b>	REV. NO.: <b>1</b>	SIZE: <b>A3</b>	DRAWN BY: <b>Sergio</b>
SCALE: <b>1:1</b>	TOLERANCES: <b>DS/ISO 2768-f</b>	REVIEWED BY: <b>PHC</b>	CREATION DATE: <b>24-04-2018</b>

MATERIAL DESCRIPTION:  
**EN 6082, Acrylic, PE** (20µ) Silver anodized according to EN ISO 7599 (50µ) Black anodized according to MIL-A 8625F

This Drawing, and the information within, is the property of Lopolight ApS and may not be used in any form without express permission there from. Lopolight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk.



Lopolight ApS  
Bakkegaardsvej 513  
DK-3050, Humlebaek  
Denmark

Tel:(+45) 32 48 50 30 Fax:(+45) 32 48 50 32  
info@lopolight.com

